

# POLYSTROP

## POLYSTROP LIMITED

### DATA SHEET

#### **Polyester Flat woven webbing slings, Duplex two-layer.**

Manufactured to EN 1492-1:2000 +A1 2008 from 100% Polyester webbing.  
Safety Factor 7:1. Duplex with protected soft eyes each end

WLL	Width	Stripes	Colour	Eye Length	Weight (2M EWL)
1 tonne	30mm	one	violet	300mm	0.4kgs
2 tonnes	60mm	two	green	400mm	0.8kgs
3 tonnes	90mm	three	yellow	400mm	1.2kgs
4 tonnes	120mm	four	grey	500mm	1.6kgs
5 tonnes	150mm	five	red	500mm	2.0kgs
6 tonnes	180mm	six	brown	600mm	2.4kgs
8 tonnes	240mm	eight	blue	750mm	3.2kgs
10 tonnes	300mm	ten	orange	900mm	4.0kgs
12 tonnes	300mm		orange	900mm	4.8kgs

#### **Polyester Flat woven webbing slings, Simplex one-layer**

Manufactured to EN 1492-1:2000 +A1 2008 from 100% Polyester webbing.  
Safety Factor 7:1. Simplex with protected soft eyes each end

WLL	Width	Colour	Eye Length	Weight (2M EWL)
500kgs	25mm	Lime	200mm	0.25kg
1 tonne	50mm	violet	250mm	0.5kg
1.5 tonnes	75mm	white	300mm	0.75kg
2 tonnes	100mm	green	350mm	1.0kg
WLL	Width	Colour	Eye Length	Weight (2M EWL)

3 tonnes	150mm	yellow	450mm	1.5kg
4 tonnes	200mm	grey	500mm	2.0kg
5 tonnes	250mm	red	625mm	2.5kg
6 tonnes	300mm	brown	750mm	3.0kg

## Polyester Flat woven webbing slings, Endless

Manufactured to EN 1492-1:2000 +A1 2008 from 100% Polyester webbing.  
Safety Factor 7:1. Endless

WLL	Width	Stripes	Colour	Weight (2M EWL)
1 tonne	30mm	one	violet	0.35kg
2 tonnes	60mm	two	green	0.7kg
3 tonnes	90mm	three	yellow	1.05kg
4 tonnes	120mm	four	grey	1.4kg
5 tonnes	150mm	five	red	1.75kg
6 tonnes	180mm	six	brown	2.1kg
8 tonnes	240mm	eight	blue	2.8kg
10 tonnes	300mm	ten	orange	3.5kg
12 tonnes	300mm		orange	4.2kg

## Polyester Flat woven webbing slings, Quad, four-layer.

Manufactured to EN 1492-1:2000 +A1 2008 from 100% Polyester webbing.  
Safety Factor 7:1. Quad, with protected soft eyes each end

WLL	Width	Stripes	Colour	Eye Length	Weight (2M EWL)
16 tonnes	240mm		orange	1,000mm	8.0kg
20 tonnes	300mm		orange	1,000mm	12.0kg
30 tonnes	480mm		orange	1,000mm	16.0kg
40 tonnes	600mm		orange	1,000mm	24.0kg











